

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: SoySTEP Epoxy Flooring System, Part B Product code: SoySTEP Epoxy Flooring System, Part B Synonym(s): Cycloaliphatic amine curing agent

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Hardener for epoxy coatings Uses advised against: None known

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor Soy Resin Systems, LLC 712 Summit Ave Kinston, NC 28501 USA 252-747-3735

1.4 Emergency telephone number

CHEMTREC: +1-800-424-9300 - 24 HR EMERGENCY

Danger

SECTION 2 - HAZARDS IDENTIFICATION


2.1 Classification of substance or mixture

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008

Acute Toxicity, Oral - Category 4 [H302] Acute Toxicity, Dermal - Category 4 [H312] Skin Damage - Category 1B [H314] Acute Toxicity, Inhalation - Category 4 [H332] Reproductive Toxicity - Category 2 [H361fd] Aquatic Toxicity, Chronic - Category 2 [H411]

2.2 Label elements

Signal word:







Hazard statement(s):	H302 - Harmful if swallowed
	H312 - Harmful in contact with skin
	H314 - Causes severe skin burns and eye damage
	H332 - Harmful if inhaled
	H361fd - Suspected of damaging fertility and the unborn child
	H411 - Toxic to aquatic life with long lasting effects
Precautionary stateme	ents:
[Prevention]	P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe mist, fumes and vapor.
	P264 - Wash hands and other exposed skin areas thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing and eye protection.
[Response]	P301 + P330 + P331 + P310 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Immediately call a POISON CENTER or doctor.
	P303 + P361 + P353 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or shower.
	P304 + P340 + P310 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
	P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor.
	P308 + P313 - If exposed or concerned: Get medical attention.
	P321 - Specific treatment: Call a POISON CENTER or doctor. Refer to Section 4 of this SDS.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents and containers in accordance with national and local regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None known

[Storage]

[Disposal]

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
5 - 30	4-tert-Butylphenol	98-54-4	202-679-0	604-090-00-8	H315, H318, H361f
15 - 30	4-Nonylphenol, branched	84852-15-3	284-325-5	601-0536-00-8	H302, H314, H361fd, H410
15 - 30	Epoxy polyamine adduct	Proprietary			H314
20 - 40	1,3-Cyclohexanedimethanamine	2579-20-6	219-941-5		H302, H312, H314, H412

As per paragraph (i) of 29 CFR 1910.1200, formulation is considered a trade secret and specific chemical identity and exact percentage (concentration) of composition may have been withheld. Specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designated representatives in accordance with the applicable provisions of paragraph (i).

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist or if the victim feels unwell, seek medical attention.

Eyes: Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. Discard items that cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If irritation persists, rash develops or for chemical burns, prompt medical consultation is essential.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures if present. Give 1 - 2 cupfuls of water to drink if the victim is conscious, alert and able to swallow. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed Potential health symptoms and effects

Eyes: Causes severe eye irritation and serious eye damage. Symptoms may include redness, swelling, pain, blisters and tearing. Prolonged contact with eye can cause conjunctivitis and corneal injury. Risk of permanent eye damage and blindness. Vapor or fumes can cause eye irritation.

Skin: Harmful in contact with skin. Causes severe skin irritation and burns. Prolonged contact with unprotected skin can cause localized redness, itching, blisters, chemical burns and discomfort.

Inhalation: Harmful if inhaled. May cause respiratory irritation with runny nose, cough, sore throat, nasal congestion, sneezing, wheezing, shortness of breath, reduced pulmonary function, convulsions and unconsciousness. May cause delayed pulmonary edema. May cause burns to the respiratory tract and damage to the mucous membranes of the nasal cavity. May cause respiratory sensitization in susceptible individuals.

Ingestion: Harmful if swallowed. Causes severe irritation of the gastrointestinal tract with nausea, vomiting, abdominal pain and diarrhea. Causes burns to the lips, mouth, throat, esophagus and digestive tract. May cause unconsciousness and convulsions. Aspiration of material into the lungs during swallowing or vomiting causing lung inflammation and chemical pneumonitis, which may be fatal. Symptoms of aspiration include coughing, gasping, choking, shortness of breath, bluish colored skin, rapid breathing and rapid heart rate

Chronic: Persons with pre-existing eye, skin and chronic respiratory disorders may be more susceptible to the effects of this material. May cause skin sensitization with subsequent contact dermatitis upon re-exposure to this material. Repeated exposure may cause damage to the liver, kidneys and respiratory system. May cause respiratory sensitization with asthma-like symptoms. Can cause an allergic reaction in individuals sensitive to amines. Suspected of damaging fertility and the unborn child. Refer to Section 11.2.

4.3 Indication of any immediate medical attention and special treatment needed

Advice to doctor and hospital personnel

Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn after decontamination. Due to irritant properties, swallowing may result in burns or ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Treat symptomatically and supportively.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable methods of extinction: Use extinguishing media such as water fog or spray, carbon dioxide, alcohol resistant foam or dry chemical. Unsuitable methods of extinction: Water jets or streams may spread the fire.

5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

Explosion hazards: This product is not considered to be an explosion hazard. Avoid high temperatures and hot surfaces.

5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. Firefighters should control runoff water to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2, including respiratory protection. Ventilate the area. Remove all sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements.

6.3 Methods and materials for containment and cleaning up

DO NOT FLUSH SPILL DOWN THE DRAIN. Approach spill from upwind direction. Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

See Section 13 for additional waste treatment information.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. NO SMOKING. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly before reuse. Discard items that cannot be decontaminated, including leather articles such as shoes, belts and watchbands.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces and incompatible materials.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep container tightly closed when not in use. Protect containers from physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they contain product residue. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep locked up and out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

Eye/face protection: Wear chemical goggles or safety glasses with unperforated side shields during use.

Hand protection: Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Skin protection: Wear protective clothing. Wear protective boots if the situation requires.

Respiratory protection: Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Environmental exposure controls: Do not empty into drains.

PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear to amber colored liquid
Odor	Amine-like
Odor Threshold	No data available
Molecular Weight	Not applicable
Chemical Formula	Not applicable
рН	No data available
Melting Point	Not applicable
Boiling Point	No data available
Evaporation Rate	< 1 [n-BuOAc = 1]
Flammability (solid, gas)	Not applicable
Flash Point	> 93 °C (>200 °F), cc
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Lower Explosive Limit (LEL)	No data available
Upper Explosive Limit (UEL)	No data available
Vapor Pressure	No data available
Vapor Density	> 1 [Air = 1]
Specific Gravity	1.01
Viscosity	3,200 - 4,300 cPs @ 25 °C
Solubility in Water	Partially miscible
Partition Coefficient (n-octanol/water)	No data available
Oxidizing Properties	Not applicable
Explosive Properties	Not applicable
Volatiles by Weight @ 21 °C	No data available

9.2 Other Data

None known

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No special reactivity has been reported during normal conditions of handling and use.

10.2 Chemical Stability

This material is stable under recommended conditions of storage and handling.

10.3 Possibility of hazardous reactions

May react exothermically with strongly acidic or strongly alkaline materials.

10.4 Conditions to avoid

High temperatures, hot surfaces, sources of ignition, contact with incompatible materials

10.5 Incompatible materials

Strong oxidizing agents, strong acids, epoxides, isocyanates

10.6 Hazardous decomposition products

Thermal decomposition products may include oxides of carbon, nitrogen oxides, toxic fumes and gases.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀, rat: 1,316 mg/kg (ATE)

Acute inhalation toxicity LC_{50} , rat: > 5 mg/l (ATE)

Acute dermal toxicity

LD₅₀, rabbit: 2,289 mg/kg (ATE)

Skin irritation

Causes serious skin irritation and severe burns.

Eye irritation

Causes serious eye damage.

Sensitization

May cause an allergic skin reaction and respiratory sensitization.

Genotoxicity in vitro No data available

Mutagenicity

No data available

Specific organ toxicity - single exposure

May cause respiratory irritation.

Specific organ toxicity - repeated exposure

May cause damage to the respiratory system through prolonged and repeated exposure.

Aspiration hazard No data available

11.2 Further information

4-tert-Butylphenol, a possible endocrine disruptor, is suspected of damaging fertility.

This product contains no substances present at levels greater than or equal to the 0.1% threshold (de minimis) that are identified as a probable, possible, potential or confirmed carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

 This material is toxic to aquatic life with long lasting effects.

 Acute toxicity to fish:
 LC₅₀ - Fresh water fish: 0.65 mg/l

 Acute toxicity to aquatic invertebrates:
 EC₅₀ - Daphnia magna (Water flea): 0.17 g/l

12.2 Persistence and degradability

The biodegradability of this product has not been measured. 1,3-Cyclohexanebis(methylamine) is not readily biodegradable. 4-Nonylphenol, branched is expected to biodegrade only very slowly.

12.3 Bioaccumulation potential

Based on data for the individual components, the bioconcentration potential for this product is moderate.

12.4 Mobility in soil

Based on data for the individual components, the potential for mobility in soil for this product is low.

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other effects

Additional ecological information

Do not allow material to enter surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products in accordance with national, state and local regulations. Disposal of this product should always comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA F-Series: No listings above the reportable threshold (de minimis) RCRA U-Series: No listings above the reportable threshold (de minimis)

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

Limited quantity for corrosive liquids in Packing Group III when inner packagings are not over 5.0 liters (1.3 gallons) net capacity each, packed in a strong outer packaging.

USA DOT (Ground Transportation) - Bu	Ik and Non-bulk	
Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)	Drum Label(s)
Hazard Class	8	~
UN/NA	UN2735	
Packing Group	III	W W
NEAREG	Guide #153	
Packaging Authorization	Non-Bulk: 49 CFR 173.203; Bulk: 173.241	
Packaging Exceptions	49 CFR 173.154	8
IMO/IMDG (Water Transportation)		
Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)	
Hazard Class	8	
UN/NA	UN2735	
Packing Group	III	
Marine Pollutant	Yes	
EMS Number	F-A, S-B	
ICAO/IATA (Air Transportation)		
Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)	
Hazard Class	8	
UN/NA	UN2735	
Packing Group	III	
Quantity Limitations	49 CFR 175.27 and 175.75 - Cargo Aircraft Only: 60 I; Passenger Aircraft: 5 I	
RID/ADR (Rail Transportation)		
Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)	
Hazard Class	8	
UN/NA	UN2735	
Packing Group	III	

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

OSHA Process Safety Management Standard: This product is not regulated under OSHA PSM Standard 29 CFR 1910.119. **EPA Risk Management Planning Standard:** This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68. EPA Federal Insecticide, Fungicide and Rodenticide Act: This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

Toxic Substance Control Act (TSCA) Inventory: All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number No listings

Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number: No listings

Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals: No listings

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories

Harmful if swallowedCauses severe skin burns and eye damageToxic to aquatic life with long lasting effectsHarmful in contact with skinSuspected of damaging fertility

SARA 313 Information: 4-Nonylphenol, branched is subject to the reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substances: None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This product contains no CERCLA reportable substances.

Clean Air Act (CAA)

This product does not contain Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b). This product does not contain Class 1 ozone depletors. This product does not contain Class 2 ozone depletors.

Clean Water Act (CWA)

This product does not contain Hazardous Substances listed under the CWA. This product does not contain Priority Pollutants.

This product does not contain Toxic pollutants.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains no chemical(s) known to the state of California to cause cancer birth defects or reproductive harm in concentrations that exceed the threshold (de minimis) reporting levels established under Proposition 65.

Other U.S. State Inventories

4-t-Butylphenol (CAS #98-54-4) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: ME, MI.

4-Nonylphenol, branched (CAS #84852-15-3) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: MA, ME, MN.

<u>Canada</u>

WHMIS Hazard Classification

Harmful if swallowed, if inhaled and in contact with skin Causes severe skin burns and eye damage

Canadian National Pollutant Release Inventory (NPRI): This product contains no chemicals listed on the NPRI.

European Economic Community

WGK, Germany (Water danger/protection): 3 (high hazard to waters)

Global Chemical Inventory Lists

Country	Inventory Name	Listed
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand New Zealand Inventory of Chemicals (NZIoC)		Yes
China	a Inventory of Existing Chemical Substances in China (IECSC)	
Japan	apan Inventory of Existing and New Chemical Substances (ENCS)	
Korea	ea Existing Chemicals List (KECI) Yes	
Philippines	ppines Philippines Inventory of Chemicals and Chemical Substances (PICCS) Yes	

*Yes - All components of this product comply with the inventory requirements administered by the governing country.

No - One or more components of this product are not on the inventory or are exempt from listing.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS) National Fire Protection Association (NFPA)				
	HEALTH * 3	HMIS Hazard Rating Leg	-	Flammability
	······································	0 = Minimal $1 = $ Slight $2 =$	= Moderate	
	FLAMMABILITY 1	3 = Serious 4 = Severe * = Chronic Health Hazar	d	
	PHYSICAL HAZARD 0			
		NFPA Hazard Rating Le	•	Health 3 0 Instability
	PERSONAL PROTECTION C	0 = Insignificant $1 = $ Sligh	it 2 = Moder	rate V
	C = safety goggles, gloves	3 = High 4 = Extreme		\sim
	& apron			Special
Full Text o	of GHS Hazard Phrases Referenced in Se	ction 3 (not covered in S	Section 2)	
H315 - Cau	uses skin irritation			y toxic to the aquatic life with long lasting effects
H318 - Cau	uses serious eye damage		H412 - Har	mful to the aquatic life with long lasting effects
Abbreviati	on Key			
ACGIH	American Conference of Governmental I	ndustrial Hygienists		Lowest Lethal Dose
ADR	Accord Dangereux Routier (European re	gulations concerning	mppcf	Millions of Particles Per Cubic Foot
	the international transport of dangerous g	joods by road)		
CAS	Chemical Abstract Services		NA	North America
CFR	Code of Federal Regulations		NAERG	North American Emergency Response Guide Book
COC			NIOSH	National Institute for Occupational Safety & Health
DOT	Department of Transportation		NTP	National Toxicology Program
EC ₅₀	Half maximal effective concentration		OSHA	Occupational Safety and Health Administration
EMS	Emergency Response Procedures for Ships Carrying		PBT	Persistent, Bioaccumulating and Toxic
EPA	Environmental Protection Agency		PEL	Permissible exposure limit
ErC ₅₀	Reduction of Growth Rate		PMCC	Pensky-Martens Closed Cup
ERG	Emergency Response Guide Book		ppm	Parts Per Million
FDA	Food and Drug Administration		RCRA	Resource Conservation and Recovery Act
GHS	Globally Harmonized System of Classific	ation and Labelling of	RID	Dangerous Goods by Rail
	Chemicals (GHS) Hazard Communication Standard		DO	Dependence Overtity
HCS IARC			RQ TCC/Tag	Reportable Quantity
IARC	International Agency for Research on Cancer International Air Transport Association		TCC/Tag TLV	Tagliabue Closed Cup Threshold Limit Value
	Half Maximal Inhibitory Concentration		TSCA	Toxic Substance Control Act
IC ₅₀	International Civil Aviation Organization		TWA	Time-weighted Average
IDLH	· · · · · · · · · · · · · · · · · · ·		UN	United Nations
IMDG	International Maritime Dangerous Goods		VOC	Volatile Organic Compounds
IMO	······································			
	International Maritime Organization		vPvB	Very Persistent and Very Bioaccumulating
LC ₅₀	International Maritime Organization 50% Lethal Concentration		vPvB WHMIS	Very Persistent and Very Bioaccumulating Workplace Hazardous Materials Information System

DISCLAIMER OF RESPONSIBILITY

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. RAM Epoxy Technologies Inc. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to determine the suitability of this information for the adoption of the safety precautions as may be necessary. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material. We reserve the right to revise Safety Data Sheets from time to time as new technical information becomes available. The user has the responsibility to contact the company to make sure that the Safety Data Sheet is the latest issue.

Revision date: 24 January 2020, Version 3 Supersedes SDS: 09 August 2014, Version 2

<end of document>